

What is claimed is:

- 5 *Sub A1* →
1. A pipelined multistreaming processor, comprising:
 - an instruction source;
 - a first cluster of a plurality of streams fetching instructions from the instruction source;
 - a second cluster of a plurality of streams fetching instructions from the instruction source;
 - dedicated instruction queues for individual streams in each cluster;
 - a first dedicated dispatch stage in the first cluster for dispatching instructions to execution units; and
 - a second dedicated dispatch stage in the second cluster for dispatching instructions to execution units;
 - characterized in that the clusters operate independently, with the dedicated dispatch stage taking instructions only from the instruction queues in the individual clusters to which the dispatch stages are dedicated.
 2. The processor of claim 1 wherein individual ones or groups of execution units are associated with and dedicated for use by individual clusters.
 3. The processor of claim 1 wherein individual streams in a cluster have dedicated fetch stages.
 4. The processor of claim 1 wherein the total number of streams in the processor is eight, with four streams in each cluster.

Dubai

5. The processor of claim 1 wherein instructions are fetched in each cycle for one stream in each cluster.

6. The processor of claim 1 wherein the a set of fetch program counters (FPC) are monitored with one FPC dedicated to each stream, and fetching of instructions is directed beginning at addresses according to the program counters.

7. The processor of claim 4 wherein eight instructions are fetched for a stream each time instructions are fetched for that stream.

8. The processor of claim 2 further comprising one or more execution units to which either or both dispatch stages may dispatch instructions.

9. In a pipelined multistreaming processor having an instruction source and a plurality of streams, a method for simplifying implementation and operation of the streams, comprising the steps of:

- (a) clustering the streams into two or more clusters;
- (b) dedicating a single dispatch stage to each cluster, for dispatching instructions to execution units; and
- (c) fetching, in each cycle, a series of instructions from the instruction source by a single cluster.

10. The method of claim 9 further comprising groups of execution units dedicated to each cluster, to which the dispatch stages in that cluster may dispatch instructions.

11. The method of claim 9 further comprising fetch stages dedicated to individual streams in a cluster.

Deleted →

12. The method of claim 9 wherein the total number of streams in the processor is eight, and the number of streams in each cluster is four.

5

13. The method of claim 9 having a fetch program counter (FPC) associated with each stream, wherein fetching is directed beginning at addresses according to the program counters.

10

14. The method of claim 9 wherein eight instructions are fetched each time instructions are fetched for a stream

15

15. The method of claim 9 wherein the processor further comprises one or more general execution units, and each dispatch stage is enabled to dispatch instructions to the general execution units.

20

16. The method of claim 9 wherein each stream in each cluster has an instruction queue associated with that stream, and further comprising a step for dispatching instructions to execution units dedicated to each cluster from the instruction queues associated with the streams in each cluster.

25

30